

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>AM0040</b>	<b>ANAESTHESIA MACHINE, O2/AIR, 2 VAP</b>

Option No. 203

Manufacturer	HEINEN
Model	LEON PLUS
Contry of origin	Austria

## Scope of supply

sition	Qty	Description
10	1	ANAESTHESIA MACHINE, HIGH PERFORMANCE, O2/AIR, VAP, including:
20	1	LEON PLUS Anaesthesia workstation mobile
30	1	incl. first Compact circuit system (heatable)
40	1	incl. Absorber complete Leon / Leon plus
50	1	AION 02 Multigas Analyzer - Gas Sensor (CO2 Monitoring)
60	1	Servomex - paramagnetic O2 Sensor
70	1	Patient tubing system Leon / Leon plus, reusable
80	1	O2 pressure tube 5m
90	1	N2O pressure tube 5m
100	1	AIR pressure tube 5m
110	1	Anaesthetic gas excess discharge AGFS-DIN EN 737, 5m
120	1	Anaesthetic gas excess discharge plug AGFS, 45 °
130	1	Bronchial suction set complete
140	1	Soda lime 5kg
150	1	Vaporizer Isoflurane, key fill
160	1	Key filler Isoflurane
170	1	Holder for gas bottle

End of specification


*Plus Vap Sevoflurane*

*ok, [Signature]*



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Signature]*

*[Signature]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
AV0120	VENTILATOR ICU, ADULT/CHILDREN, MOBILE

Option No 200

Manufacturer	HEINEN
Model	Elisa edition
Contry of origin	Austria

## Scope of supply


sition	Qty	Description
10	1	Ventilator Elisa for Neonatal, Child & Adult
20	1	Pressure hose O2 5m
30	1	Pressure hose AIR 5m
40	1	Breathing set adult autoclavable not heatable, 091-EGSC-5150 - Inspiratory limb 22
50	1	Breathing set Pediatric autoclavable, not heatable, 091-KUSC-3150 - Inspiratory li

End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Handwritten signatures]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
CC0011	STERILISER PLASMA


Option No. 204

Manufacturer	ADVANCED STERILIZATI
Model	Sterrad NX
Contry of origin	United States of America

## Scope of supply

sition	Qty	Description
10	1	Sterrad NX
20	5	Sterrad NX cassettes
30	1000	Sterrad 100S Chemical indicators
40	30	CycleSure biological indicators
50	2	Procedure Trays for instrumens
60	2	Mat for tray
70	1	Incubator for biological indicators
80	1	Heat Sealer HS1000 230V/50Hz

End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Signature]*

Karen Zohrabyan  
*[Signature]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>GE0010</b>	<b>DEFIBRILLATOR W/ CRASH CART EMERGENCY</b>

Option No 204

Manufacturer	SCHILLER
Model	DEFIGARD 5000
Contry of origin	Switzerland

## Scope of supply

sition	Qty	Description
10	1	DEFIBRILLATOR DEFIGARD 5000 with paddles
20	1	Monitor defibrillator allowing :
30	1	Defibrillation through the biphasic Multipulse Biowave® technology with paddles.
40	1	ECG monitoring on a large LCD colour screen (10.4") with sound and visual alarms.
50	1	Working on internal battery (Li/ion 10.8V 4.3 Ah), main 100to 240V and DC 11,5/48V
60	1	DELIVERED WITH DG 5000PADDLES :
70	1	Paddles cartridge
80	1	Mains cable 2P+T, L. 2,5 M 90° Européan standard
90	1	ECG electrodes Adults 32mm - Package x 50
100	1	ECG cable, 3 W, Clip, 45 deg.
110	1	Defibrillation gel (250 ml)
120	1	User manual
130	1	AED OPTION : Accessories: Adult Pads
140	1	Internal defibrillation cartridge (1-101-3002) with connecting cable (W1410013)
150	1	Spoon electrode, Adult 54cm2, (pkg of 2)
160	1	Emergency trolley II keo includes :
170	1	Platform 30cm with anti-slide mat
180	1	3 drawers with inserts
190	1	Holder for oxygen bottles up to Ø145 mm diameter
200	1	Profile-rail 48cm
210	1	Holder for waste box incl, 20 waste boxes
220	1	TRANSTHORACIC PACEMAKER , Accessories : Adult pacing/defibrillation pads


## End of specification

+ Pediatric pads (10pcr) for external use  
+ Spoon electrode pediatric



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Handwritten signatures]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>GZ0101</b>	<b>MATTRESS ANTI DECUBITUS</b>

Option No 202

Manufacturer	Hirtz
Model	Decubimat 390
Contry of origin	Germany

## Scope of supply

sition	Qty	Description
10	1	Decubimat 390
20	10	Bacteria filter XL, sterile for pernamment protection of the pump against dust and
30	1	Bi-elastic, strechable mattress cover, washable, microperforated

End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
MB0120	MONITOR ICU, NEONATAL


Option No. 200

Manufacturer	NIHON KOHDEN
Model	BSM-6701
Contry of origin	Austria

## Scope of supply

sition	Qty	Description
10	1	MONITOR ICU, NEONATAL
20	1	Main Unit BSM-6701 with 15" display
30	1	Input Unit ECG,Resp,NIBP,Nihon Kohden SpO2,2xTemp,3xMultiConnectors
40	1	Battery Pack,9.6V,2900mAh
50	1	Set
60	1	Child,NIBP Yawara Cuff 2,width:7 cm,arm-circumference: 13 to 19 cm,latex-free,reus
70	1	Esophagus/Rectum Thermistor Probe, neonate/child,6.3mm jack connector,size: 3.3mm
80	1	Body Surface Temperature Probe,6.3mm jack connector,disk size: 9.5mm dia,cable len
90	1	IBP Connection Cable for Edwards Lifesciences Transducers,cable length: 3.5m ,2pcs
100	1	M-Series Pivot Arm with "Slide-in" type mounting plate offers a pivot point at the
110	1	19"/48.3cm GCX channel
120	1	"Slide-In" adapter plate

## End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Handwritten signatures]*



# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>MK0020</b>	<b>ECG UNIT 12 CH (A4), W/ TROLLEY</b>

Option No 205

Manufacturer	SCHILLER
Model	CARDIOVIT AT-102
Contry of origin	Switzerland

## Scope of supply

sition	Qty	Description
10	1	CARDIOVIT AT-102
20	1	Standard unit including:
30	1	- monochrome LCD
40	1	- integrated power supply
50	1	- LCD resolution: 320*240
60	1	- LCD size: 120*90mm
70	1	- dimensions l/w/h in mm: 400*330*101
80	1	- weight in kg: 5
90	1	- direct function keys
100	1	- 12-lead simultaneous analysis
110	1	- displayed leads: 12
120	1	- printing number of traces in real-time rhythm: 12
130	1	- thrombolysis recommendation software - if device is
140	1	being ordered with C-Software option
150	1	- thermal paper format: Z-folded, A4 size
160	1	- servo paper drawer
170	1	- instruction manual
180	1	Set of standard accessories AT-102
190	1	including:
200	1	- 10-wire patient cable IEC, 2m with banana plug
210	1	- set of reusable electrodes incl. gel (2.000041)
220	1	- mains cable, Schuko type (2.300005) - or mains
230	1	- chart paper, 1 pkg (2.157025)
240	1	- dust cover (2.160013)
250	1	C Software incl. Thrombolysis recommendation
260	1	AT-102 Gives indication about the advisability of using thrombolysis in case of acu
270	1	Set of children ECG electrodes incl. 6 suction electrodes, 4 clamp extremity electr
280	1	SCHILLER Biotabs Ag/AgC, disposable electrodes for resting ECG, box of 500 pcs
290	1	SNAP-CLIP Adapter for banana-plug cables (pouch of 10 pcs)
300	1	Kangaroo trolley incl. shelf and translucent bin
310	1	ECG patient cable arm for Kangaroo trolley without bracket



## End of specification

ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Handwritten signatures]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016


Item no.	Item description
<b>MK0030</b>	<b>STRESS TEST W/ TREADMILL</b>

Option No 204

Manufacturer	SCHILLER
Model	CARDIOVIT CS-200/Treadmill
Contry of origin	Switzerland


## Scope of supply

sition	Qty	Description
10	1	CARDIOVIT CS-200 Touch Package
20	1	Standard unit including:
30	1	- SCHILLER resting ECG software with 12 simultaneous leads
40	1	- SCHILLER ECG measurement software M, incl. average complexes, measurement marker
50	1	- built-in lead-fail detection and lead prep impedance measurement
60	1	- pacemaker measurement software
70	1	- enhanced pacemaker detection
80	1	- ECG history
90	1	- rhythm recording in resting mode
100	1	- SCHILLER exercise 12/16-lead* ECG EXEC Expert software (*16-lead ECG only possib
110	1	- EXEC plus software - 16-channel* full disclosure of complete exercise test (*wi
120	1	- arrhythmia detection / documentation package
130	1	- step (stage) printout on external printer
140	1	- RISK (risk factors
150	1	- RNSF (robust noise supression filter) for exercise ECG
160	1	- PDF export software
170	1	- QT dispersion
180	1	- worklist
190	1	- demo licenses for HyperQ Resting and HyperQ Exercise -> 20 free tests are inst
200	1	- CS-200 Touch wizard is a tool which is designed to help users to take greater c
210	1	- SDS-CS-200 Touch data management:
220	1	Archiving
230	1	serial comparisons
240	1	documentation on laser printer
250	1	networking in SEMA 200 or SEMA3
260	1	DS-200 Touch runs on Win7 64bit embedded
270	1	HARDWARE:
280	1	CS-200 Touch data acquisition module with:
290	1	- 1x RJ45
300	1	- 3x RS-232 connection (Ergometer/Treadmill/Bloodpressure)
310	1	- QRS trigger
320	1	- unipotential grounding plug
330	1	- AC/DC power adapter (only specified SCHILLER adapter)



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Handwritten signature]*

*[Handwritten signature]*



# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>MK0030</b>	<b>STRESS TEST W/ TREADMILL</b>

Option No 204

Manufacturer	SCHILLER
Model	CARDIOVIT CS-200/Treadmill
Contry of origin	Switzerland

- 340 1 - instruction manual
- 350 1 INCLUDED PERIPHERAL DEVICES / ACCESSORIES
- 360 1 - High performance 21.5" Medical Panel PC CS-200 Touch(4.150313) with WIFI, POE ca
- 370 1 21.5" wide full HD LCD w/LED backlight, lower noise fan design, Win7 64bit embedde
- 380 1 - wireless keyboard - Swiss, German, English or French if not specified: English k
- 390 1 - height adjustable premium trolley CS-200 Touch for mobile use (2.100290)
- 400 1 Set of standard accessories CS-200 Touch Package
- 410 1 - 10-wire patient cable IEC, 3,5m with clip (2.400095)
- 420 1 - set of disposable Stress ECG electrodes, 25 pcs. (2.155025)
- 430 1 - mains cable, Schuko type (2.300005)
- 440 1 - ergobelt (2.100060)
- 450 1 - connecting cable CS-200 Touch to PC (2.310248)
- 460 1
- 470 1 Laser Printer
- 480 1 Treadmill Schiller Intertrack 8100T
- 490 1 with connecting cable to SCHILLER ECG device
- 500 1 without isolation transformer (no CE cert. mark)
- 510 1 Mains: 220-240V AC 50/60Hz, 10 Amps.
- 520 1 Treadmill for Stress Test ECG, compatible withSCHILLER AT-102, AT-104 PC, AT-10 pl
- 530 1 - motor: 3 HP
- 540 1 - automatic control via built-in RS-232
- 550 1 - emergency stop switch
- 560 1 - speed range: 0,8 - 25km/h in 0,1km steps
- 570 1 - Elevation: 0 - 25% in 0,1% steps
- 580 1 - walking surface: 51 x 153cm
- 590 1 - weight capacity: patients weighing up to 180 kg
- 600 1 - front handrail
- 610 1 BP-200 plus Blood pressure measuring device
- 620 1 Standard unit including:
- 630 1 - color screen
- 640 1 - realtime display with wave forms and monitor status
- 650 1 - historical tabular and trend data
- 660 1 - RS-232 interface capability to SCHILLER ECG systems (CS-200, AT-110, AT-10plus,
- 670 1 - BP readings initiated automatically or manually
- 680 1 ACCESSORIES:
- 690 1 - BP velcro cuff 2014, size M (2.120065)



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Signature]*

*[Signature]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
MK0030	STRESS TEST W/ TREADMILL

Option No 204

Manufacturer	SCHILLER
Model	CARDIOVIT CS-200/Treadmill
Contry of origin	Switzerland

700	1 - comfort sleeve size M, 1 pc only ( 2.120070)
710	1 - microphone and tube for BP cuff 2014 (2.120075)
720	1 - stereo headphone set (2.100006)
730	1 - interface cable to SCHILLER ECG (4.520373)
740	1 - QRS trigger cable for CS-200 Touch (2.310249)
750	1 - medical mains adapter 9V/100-240V (2.200109)
760	1 - mains cable
770	1 - instruction manual
780	1 BP velcro cuff 2014, size S, BR-102 plus, BP-200 plus
790	1 Microphone and tube for BP cuffs 2014, BP-200plus


End of specification

will be upgraded to model AT-104  
Ergo-Spirometry  
incl. Power Cube Gona Analyzer  
incl. Bruce + mod. Bruce



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
MK0070	HOLTER SYSTEM, ECG, for 12 patients

Option No 204

Manufacturer	SCHILLER
Model	HOLTER ECG
Contry of origin	Switzerland

## Scope of supply

sition	Qty	Description
10	9	Medilog FD5plus Holter Recorder (ECG RECORDER)
20	1	with 5-wire patient cable including carrying case, pouch with shoulder strap, 1 x SD
30	1	medilog DARWIN2 Office Software optimized for routine applications in practices
40	1	FEATURES:
50	1	- ADAPT(TM) advanced beat analysis
60	1	- ST analysis
70	1	- QT analysis at beat level
80	1	- Templates
90	1	- Pacemaker analysis
100	1	- HRV time domain analysis
110	1	- Full disclosure
120	1	- Beat meter
130	1	- BDT / GDT connectivity
140	1	- Networking option HL7 etc.
150	1	Performance PC
160	1	PC Pentium 4 or equivalent incl. harddisc, mouse, keyboard, network card, Windows X
170	1	SCREEN
180	1	Color laser printer Brother with USB cable, 220 - 240V, 50/60Hz (type Brother HL-31
190	1	External USB SD Card Reader

## End of specification

+ 3 per. FD 12 plus Recorder (12 Lead)



Karen Zharabyan

ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Signature]*

*[Signature]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>MK0071</b>	<b>HOLTER RECORDER NIBP</b>

Option No 204

Manufacturer	SCHILLER
Model	BR-102 plus
Contry of origin	Switzerland

## Scope of supply


sition	Qty	Description
10	1	BR-102 plus Blood pressure recorder (NIBP BLOOD PRESSURE RECORDER)
20	1	Auscultatory measurement method (main) in combination with oscillometric backup mea
30	1	CUFF ACCESSORIES
40	1	- BP velcro cuff 2014 size M (2.120065) + pediatric cuff 18-26 cm
50	1	- comfort sleeve size M, 1 pc only ( 2.120070)
60	1	- Microphone and tube for auscultatory and oscill. meas. (2.120050)
70	1	GENERAL ACCESSORIES
80	1	- premium accessories case red incl. pouch with
90	1	shoulder- and waiststrap (2.156079)
100	1	- battery charger 90-240 VAC (2.200179)
110	1	- USB cable to PC (2.310215)
120	1	- 4 pcs rechargeable batteries AA Ni-MH (2.200119)
130	1	- CD with DARWIN2 ABPM software allowing maximum
140	1	flexibility for configuring, analyzing, interpreting and
150	1	reporting of ABPM Studies (2.100295)
160	1	Works on PC with Win 7, Win 8 or Win 10 (32 or 64bit)
170	1	- instruction manual

## End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

Karen Zohrabyan

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
MK0072	HOLTER RECORDER ECG EVENT MONITOR

Option No. 204

Manufacturer	SCHILLER
Model	Braemar ER920 2
Contry of origin	United States of America

## Scope of supply

sition	Qty	Description
10	1	Braemar ER920 2-channel Event Recorder
20	1	with 4-wire ECG cable
30	1	carrying case,
40	1	neck cord,
50	1	belt clip, RS-232 data download cable,
60	2	Alcaline batteries 1,5V AAA
70	1	instructions for use,

End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Signature]*

*[Signature]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
MN0005	EEG, SYSTEM, 38 CHANNELS

Option No 2

Manufacturer	NIHON KOHDEN
Model	EEG 1200
Contry of origin	Austria

## Scope of supply


sition	Qty	Description
10	1	INETG-1200 Notebook EEG System / 38 channel, components:
20	1	1x Notebook PC
30	1	1x Main Unit (Isolation transformer)
40	1	1x 38 channel Electrode junction box (JE-921A)
50	1	1x Software package (Aquisition/Review, EEGPortaView, EEGScope)
60	1	1x EEG Mapping software (QP-220AK)
70	1	1x Polaris.one database software incl. single user license (NKD-PLN/SU)
80	1	1x EEG accessories kit "International" - includes pediatric accessories
90	1	EEG-9100 Cart / "High S" Cart for EEG-9100 / EEG-1200 notebook,
100	1	Laser Printer

End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

Karen Zohrabyan



# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
NR0010	RESUSCITATION UNIT NEONATAL

Option No. 200

Manufacturer	HEINEN
Model	LIFETHERM2003
Contry of origin	Austria

## Scope of supply

Quty	Description
10	1 RESUSCITATION UNIT NEONATAL
20	1 Resuscitation system Lifetherm 2003
30	1 Monitor tray between longerons on rail system
40	1 Suction unit
50	1 Pressure hose Air, 5 m, NIST connection, plug NF,
60	1 Flowmeter for rail system-Neo
70	1 O2 pressure hose, 5m, NIST connection, plug, NF, ISO standard color
80	1 breathing bag for neonates
90	1 Electrical hight adjustment
100	1 set safety pane (low pane= 9cm) prevents fall out of baby, if the side-pane is ope

## End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
TD0011	ELECTROSURGICAL UNIT

Option No 202

Manufacturer	Valleylab
Model	Force FX
Contry of origin	China

## Scope of supply

sition	Qty	Description
10	1	Electrosurgery Hardware Force FX- autobipolar
20	1	Neutral Electrode cable to be used with single use return electrodes For use with
30	1	Neonatal REM PolyHesive™ II Patient Return Electrode
40	3	Reusable electrosurgical pencil
50	1	Monopolar footswitch
60	2	Straight Electrode Extension
70	2	Fine needle Electrode
80	1	Coagulation forceps
90	1	Foot Switching Bipolar Cord
100	1	Bipolar Footswitch
110	1	Universal Mounting Cart
130	1	

## End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Handwritten signatures]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
TE0003	BALLOON PUMP, INTRA AORTIC

Option No. 204

Manufacturer	ARROW INTERNATIONAL
Model	Auto Cat2 Wave
Contry of origin	United States of America

## Scope of supply

sition	Qty	Description
10	1	IAB Pump Console Auto Cat2 Wave English / Standart configuration
20	1	Phono connector cable
30	1	Acat dual hanger I.V.Pole
40	1	5-Lead ECG cable with clip ends
50	4	He Tank

End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Handwritten signatures]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
TE0021	HEATING/COOLING UNIT, CARDIO OT HLM, MOBILE

Option No 212

Manufacturer	LIVANOVA
Model	Heater Cooler 3T
Contry of origin	Germany

## Scope of supply

sition	Qty	Description
10	1	Heater Cooler 3T
20	1	Blanket for adults
30	1	Blanket Adapters
40	1	Tubing set for heating-cooling blankets
50	1	1/2 Female Hansen connector (to oxy)
60	1	1/2 Female Hansen connector (to oxy), 90° angled
70	1	Hansen Connector Short Circuit bridge with steel cable for hanging up on IV-rack o
80	1	AIR Tubings with Connector
90	1	O2 Tubings with Connector
100	1	1/2" Male Hansen connector (to H/C) 90° angled
110	1	1/2" Tubing, PVC, fiber-reinforced
120	1	1/2" Male Hansen connector (to H/C)

## End of specification



ISSUED - VAMED Engineering

23.11.2016

report VESPET02RP



Approved - CLIENT

*[Handwritten signature]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
TE0023	HYPO/HYPERTHEMIA UNIT W/ MATTRESS


Option No. 202

Manufacturer	Hirtz
Model	Variotherm 550
Contry of origin	Germany

## Scope of supply


sition	Qty	Description
10	1	Variotherm 550
20	1	Mobile trolley on 4 wheels for better stability
30	1	Extr hose extension, to use 2 mats or 1 mat + 1 blanket to cover patients
40	1	Hose extension, 3m with Hanson Couplings to connect to heart/lung machine
50	1	Y-piece for connecting a second hose extension and mattress at the same time
60	1	DATATHERM for measuring the body core temperature
70	1	Hico-patient mattress, PU, reusable, 50x30cm, neonatal size
80	1	Hico-patient mattress, PU, reusable, 170x50cm, adult size
90	1	Hico-patient mattress, PU, reusable,, 92x50cm, pediatric size
100	1	Hico-patient mattress, PU, reusable, 120x70cm, adult size
110	1	Hico-patient mattress, PU, reusable, 60x70cm, pediatric size

End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Handwritten signatures]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
TT0022	TABLE OPERATING ELECTRIC

Option No 204

Manufacturer	Trumpf
Model	TruSystem 7500
Contry of origin	Germany

## Scope of supply


sition	Qty	Description
10	1	Mobile column TruSystem 7500
20	1	Access line C13
30	1	Cable remote control TS7500
40	1	OR table top U24 S
50	1	Pad back section U24
60	1	Pad seat section
70	1	TruSystem 7500 - Table component
80	1	Head section double joint COMFORT S
90	1	Pad head section
100	1	Upper back section S
110	1	Pad upper back section
120	1	Leg section one part short S
130	1	Pad eg section <del>one part short</del> - two parts spread joint S
140	1	TruSystem 7500 - Catalog
150	2	Holding device for arm and leg
160	2	Clamp basic
170	2	Arm support pad 450
180	1	Body strap rotatable
190	1	Anaesthesia screen extendable
200	2	Clamp radial setting
210	1	Infusion pole with 4 hooks
220	2	Leg restraint single
230	1	Arm holder 450 for lateral position
240	2	Universal lateral support height adjustable
250	2	Lateral support 170
260	1	Installation
270	1	Added 1 year warranty



## End of specification

ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Handwritten signatures]*



# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>TT0024</b>	<b>TABLE OPERATING ELECTRIC ANGIO/VASCULAR</b>

Option No. 204

Manufacturer	Trumpf
Model	TruSystem 7500
Contry of origin	Germany


## Scope of supply

sition	Qty	Description
10	1	TruSystem 7500 - Table
20	1	Mobile column TruSystem 7500
30	1	AccesslineCl3
40	1	Cable remote control TS7500
50	1	OR table top U24 S
60	1	PaU seat section
70	1	Pad back section U24
80	1	TruSystem 7500 - Table component
90	1	Head section double joint COMFORT 5
100	1	PaU head section
110	1	Upper back section S
120	1	Pad upper back section
130	1	Leg section <del>two parts</del> spread joints - one part short <i>DA</i>
140	1	Pad eg section two parts
150	1	TruSystem 7500 - Shuttle
160	1	Shuttle 2.6 360
170	2	Holding device for arm and leg
180	2	Ciamp basic
190	2	Arm support pad 450
200	1	Body strap rotatable
210	2	Clamp radial setting
220	1	Infusion pole with 4 hooks
230	2	Leg restraint single
240	1	Arm holder 450 for lateral position
250	2	Universal lateral support height adjusta
260	2	Lateral support 170
270	2	Side rail
280	1	Joint plate Carbon 520
290	1	Clamp pair for joint plate Carbon
300	1	Anaesthesia screen extendable
310	1	Installation
320	1	Added 1 year warranty



## End of specification

ISSUED - VAMED Engineering <i>[Signature]</i> 23.11.2016	Approved - CLIENT <i>[Signature]</i>
--	---



# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
TL0020	LAMP OPERATING, MAIN & SATELLITE


Option No. 204

Manufacturer	Trumpf
Model	iLED 5K/ 3
Contry of origin	Germany

## Scope of supply


sition	Qty	Description
10	1	iLED 5K! 3 - Pre-assembly set
20	1	Ceiling anchor plate Standard, Solo
30	1	Ceilingtube 110 mm, variable
40	1	Interface plate, 230V, LED duo
50	1	iLED5KI3- Light
60	1	Central axisduo
70	1	Add. cost, special length of duo axis
80	1	Ceiling cover LED, complete
90	1	iLED 3
100	1	iLED 5K
110	1	Steriliz. handle standard, 3 pcs.
120	1	Steriliz. menu knob LED 5, 3 pcs.
130	1	Steriliz. handle ALC Plus, 3 pcs.
140	1	Installation
150	1	additiona 1 year Warranty

End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Handwritten signatures]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
TL0032	LAMP OPERATING, MAIN & SATELLITE, W/ CAMERA

Option No 201

Manufacturer	Trumpf
Model	iLED 5K/ 3/with camera
Contry of origin	Germany

## Scope of supply


sition	Qty	Description
10	1	iLED 5K 1 3 - Pre-assembly set
20	1	Ceiling anchor plate Standard, Solo
30	1	Ceilingtube 110 mm, variable
40	1	Interface plate, 230V, LED duo
50	1	iLED 5K 1 3 - Light
60	1	Central axis duo
70	1	Add. cost, special length of duo axis
80	1	Ceiling cover LED, complete
90	1	iLED 3
100	1	iLED 5K
110	1	TruVidia HD 7500
120	1	Steriliz. handle standard, 3 pcs.
130	1	Steriliz. menu knob LED 5, 3 pcs.
140	1	Steriliz. handle ALC Plus, 3 pcs.
150	1	Steriliz. handle camera. 3 pcs.
160	1	Installation
170	1	Added 1 Year warranty

End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Handwritten signatures]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>TZ0020</b>	<b>HEADLIGHT SURGEON</b>

Option No. 200

Manufacturer	WOLF Richard GmbH
Model	452600
Contry of origin	Germany

## Scope of supply

sition	Qty	Description
10	2	Performance Head Lamp with high light intensity
20	1	Fibre Optic light cable, fibre bundle diameter 4.5 mm, length 3 meters
30	1	ENDOLIGHT LED 1.1 High Power LED
40	1	Fibre light adaptor

End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Handwritten signature]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
XA0001	X-RAY C-ARM, MOBILE, FLAT PANEL

Option No 300

Manufacturer	SIEMENS
Model	Cios Fusion
Contry of origin	Austria

## Scope of supply

sition	Qty	Description
10	1	Cios Fusion
20	1	Flat Detector 30x30
30	1	CAREMAX
40	1	Mobile workstation w. Flex column
50	1	2x High Bright TFT monitor
60	1	DICOM Advanced
70	1	Vascular Software
80	1	Standard foot switch
90	1	Sterile cover C-Arm
100	1	Sterile cover single tank
110	1	Sterile cover FD 30x30

*“Premium” version incl. 2D measurement application*

## End of specification

*+ table side control*



ISSUED - VAMED Engineering  
23.11.2016

Approved - CLIENT

*[Signature]*

Karen Zohrabyan  
*[Signature]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
XA0100	X-RAY UNIT MOBILE, DIGITAL

Option No. 202

Manufacturer	SIEMENS
Model	Mobilett Mira Max
Contry of origin	Austria

## Scope of supply

sition	Qty	Description
10	1	Mobilett Mira Max
20	1	WLAN detector ROW
30	1	MAX wi-D
40	1	Numerical lock Mira Max
50	1	Mobilett Mira English keyboard
60	1	Snap-on grid MAX wi-D 5/85 F115
70	1	Integrated dose area product
80	1	Paediatric Filter 2,4mm
82	1	Paediatric Filter 4,3mm
90	1	Hospital WLAN ROW
100	1	Paper printer connection

## End of specification



ISSUED VAMED Engineering

23.11.2016



Approved - CLIENT

*[Signature]*

*[Signature]*



# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>XD0001</b>	<b>X-RAY UNIT W/ FLUOROSCOPY, DIGITAL</b>

Option No 202

Manufacturer	SIEMENS
Model	Luminos dRF Max
Contry of origin	Austria


## Scope of supply

sition	Qty	Description
1	1	Luminos dRF Max
2	1	Polydoros 65kW
3	1	Extension to 80 KW PL F 80
4	1	Extension Trendelenburg 90 degrees
5	1	System cover
6	1	CAREmax plus HS Integrated
7	1	Console Luminos dRF
8	1	Collimator N II OT
30	1	WLAN
40	1	Fluoroloop - C
50	1	DICOM Worklist / MPPS
60	1	Reference Image for FL-C
70	1	Trolley w/ 2 Displays, Live/Ref Im.
80	1	Foot switch, Fluoro and Acquisition
90	1	Display f. Live Image in C-Room
100	1	Keyboard, US English
110	1	Injector interface
130	1	Compression Belt
140	1	Shoulder supports (1 pair)
150	1	Patient positioning mattress
160	1	Leg Supports (left and right)
250	1	Agfa Drystar AXYS
260	1	Babix holder
270	1	BABIX, U-shape, 700 MM
271	1	BABIX retainer, WOOD, 700 MM/U
280	1	Babix flat 700 mm
290	1	Diagnostic Window 120x100 cm
300	1	Intercom system Duplex
320	1	Homogenizing filter child skull
330	1	UPS Eaton for Imaging System
340	1	Distribution NV1-63/380/50 FJ
350	1	App. training package Fluoro.



## End of specification

ISSUED - VAMED Engineering <i>[Signature]</i> 23.11.2016	Approved - CLIENT <i>[Signature]</i>
--	---



# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>XE0310</b>	<b>ULTRASOUND UNIT, IVUS&amp;FFR</b>

Option No 202

Manufacturer	<b>VOLCANO</b>
Model	<b>Intravascular ultrasoud "s5iX"</b>
Contry of origin	<b>Belgium</b>

## Scope of supply

sition	Qty	Description
10	1	Intravascular ultrasoud "s5iX"
20	1	FFR Option
30	1	Revo option
40	1	iFR option
50	5	EagleEye Platinum
60	1	Revolution
70	5	PrimeWire Prestige
80	1	R-100 Pullback Device
90	1	Sterile sleeves


## End of specification

mobile version



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Signature]*

*[Signature]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>XE0130</b>	<b>ANGIOCARDIOGRAPHY UNIT, MONOPLANE, FLAT PANEL</b>

Option No. 301

Manufacturer	SIEMENS
Model	Artis zee floor
Contry of origin	Austria


## Scope of supply

sition	Qty	Description
10	1	Artis zee floor Combo Rad./Card.
30	1	DICOM MPPS
40	1	DICOM RIS-Modality Worklist
50	1	DICOM Print
60	1	VOLCANO s5i cable set
70	1	Head holder, deep
80	1	Arm holder (pair)
90	1	Intercom - Comfort
100	1	Moveable upper body rad. protection
110	1	Lower body radiation protection
119	1	Sensis Hemo Lite
130	1	DICOM MPPS license
140	1	DICOM HIS/RIS Worklist
160	1	Sensis Documentation + Reporting
170	1	Artis IF SW Data + Remote Control
171	1	ECG radiolucent cable
190	1	Scientific QCA
200	1	Vascular analysis
210	1	LV Analysis
220	1	2K acquisition
230	1	CLEARstent Live + CLEARstent
240	1	Fluoro Loop
250	1	Shielding kit, as40
260	1	Mem. expansion 4 (100k- 1k Matrix)
270	1	Mem. expansion 3 (50k - 1k Matrix)
280	1	Narrow TT thin mat. ins. of std. TT
290	1	Automap
291	1	System UPS
292	1	Laser printer
293	1	Starter kit reuse. press. transd.
294	1	Memscap 844 pressure transducer
300	1	LD panel size 60"
301	1	Large Display video controller 18



ISSUED VAMED Engineering

23.11.2016



Approved - CLIENT

*[Signature]*

Karen Zohrabyan

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016


Item no.	Item description
<b>XE0130</b>	<b>ANGIOCARDIOGRAPHY UNIT, MONOPLANE, FLAT PANEL</b>

Option No 301

Manufacturer	SIEMENS
Model	Artis zee floor
Contry of origin	Austria


302	1 Large Display
310	1 Arterion Mark 7 pedestal
311	1 Arterion disposable cylinder 150ml
320	1 Lead Glass RD50/2, 1mmPb/120x100cm
330	1 Fastening Parts for Lead Glass
360	1 DYNAVISON DSA/DR
370	1 IZ3D
380	1 Neonatal NBP starter kit
381	1 Starter kit CO Thermo
390	1 FFR license
400	1 Arm rest for radial access small
410	1 Compression band
420	1 Positioning Aids darkblue w. Case
430	1 Examination lamp
431	1 Distributor AX monoplane 40kVA

End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Signature]*

Karen  
Zohrabyan

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>XE0200</b>	<b>ELECTROPHYSIOLOGY SYSTEM</b>

Option No 4

Manufacturer	ST. JUDE MEDICAL
Model	EP Workmate Claris 56 Channel
Contry of origin	United States of America

## Scope of supply


sition Quty	Description
10	1 EP Workmate Claris 56 Channel

End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Signature]*

Karen Zohrabyan  
*[Signature]*

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22 11 2016

Item no.	Item description
<b>XE0210</b>	<b>NAVIGATION SYSTEM ELECTROPHYSIOLOGY</b>

Option No. 203

Manufacturer	ST. JUDE MEDICAL
Model	EnSite Velocity
Contry of origin	United States of America

## Scope of supply

sition Qty	Description
10	1 EnSite Velocity Cardiac Mapping
20	1 EnSite Precision Mapping Module
30	1 Start-op consumables (catheter sets)


## End of specification

*will be upgraded to EnSite Precision model*



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

Karen Zohrabyan  
*Handwritten signature*



# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>XE0220</b>	<b>RF ABLATION SYSTEM ELECTROPHYSIOLOGY</b>

Option No. 209

Manufacturer	ST. JUDE MEDICAL
Model	Ampere RF Ablation
Contry of origin	United States of America

## Scope of supply

sition Quty	Description
10	1 Ampere RF Ablation generator + remote control
20	1 Cool Point Irrigation Pump

End of specification



ISSUED - VAMED Engineering

22.11.2016



Approved - CLIENT

Karen Zohrabyan

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>XG0220</b>	<b>CT UNIT, CARDIAC, 128 SLICES</b>

Option No. 301

Manufacturer	SIEMENS
Model	SOMATOM Definition AS (AS+)
Contry of origin	Austria

## Scope of supply

sition	Qty	Description
10	1	SOMATOM Definition AS (AS+)
20	1	FAST CARE Platform
30	1	CARE Child
40	1	FAST Planning #AWP
50	1	DoseMAP
60	1	WorkStream 4D #AWP
70	1	FAST Hardware Package - 200 cm scan range
80	1	SAFIRE #AWP
110	1	z-UHR incl. UHR
130	1	CT Cardio-Vascular Engine @via#1
140	1	Standard rear cover
160	1	Cooling System Water
161	1	Cooling System Water/Air #split
180	1	Physiological Monitoring Module
190	1	ECG cable IECl
200	1	Mattress with Spill Protection
210	1	Table Side Rails
220	1	Paper Roll Dispenser
230	1	Tiltable Head Holder
240	1	Head-Arm Rest
250	1	Additional Arm Fixation
251	1	Pediatric Cradle
252	1	Intervention Pro
380	1	Stellant with Certegra WS, ped.
381	1	Disp. syringe SDS-CTP-SPK (20 pcs)
390	1	Diagnostc Window 150*100 cm
391	1	Distributor Sens./Def.AS/AS+/Edge
392	1	AppS Training AS Imaging
500	1	Agfa Drystar AXYS
		POST PROCESSING WORKSTATION CT/ANGIO/FLUOROSCOPY
520	1	s.via CT bundle B (Identifier)
530	1	syngo.via Workstation Software
540	1	WebViewer User #1 Integrated Server



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

*[Signature]*

Karen  
Zohrabyan

# ITEM SPECIFICATION

Scope of Supply - Approval



date 22.11.2016

Item no.	Item description
<b>XG0220</b>	<b>CT UNIT, CARDIAC, 128 SLICES</b>

Option No 301

Manufacturer	SIEMENS
Model	SOMATOM Definition AS (AS+)
Contry of origin	Austria

550 1 syngo.CT Vascular Autotracer #1  
560 1 syngo.Interventional Viewer #1  
570 1 Workstation HW  
580 1 Prime HW Support WS 5y  
590 2 Monitor EIZO MX242W col. 2.3MP  
600 1 UPS 1.5kVA Tower 220-240V  
610 1 Keyboard UK English  
620 1 Basic Implementation Package HQ  
630 1 Implementation without SRS HQ  
640 1 Travel Costs HQ  
650 1 AppS Train.Package CT - Workstation

End of specification



ISSUED - VAMED Engineering

23.11.2016



Approved - CLIENT

Karen  
Zohrabyan